

X36 EXAMINATION TABLE

Registration code: SKD-A



SAIKANG/Medical

Healthier your life

X36

FEATURES AND HIGHLIGHTS

Technical parameters

External Size (LxWxH)	1860x690x460-910 mm
Back Plate Upward Fold	≥80°
Back Plate Downward Fold	≥50°
 Leg Plate Upward Fold 	≥65°
 Leg Plate Downward Fold 	≥45°
Bearing Capacity	≥150kg
 Headrest Hole 	150 mm
 Input Voltage 	110-230v
Output Power	24W

Technical configuration

✓ Motor	1pc
☑ Pillow	1pc
☑ Gas Spring	2pcs
☑ Brake Pedal	4pcs
☑ 3" Double Wheel	4pcs
✓ Manual Operator	1pc

Optional

☐ Bed Surface Foot Lift	1pc
☐ Roll Up Tissue Holder	1рс















Bed Frame

The bed frame surface is painted with 1.5mm powder coated steel, and welded by Panasonic Robotic seamlessly. Strong corrosion resistance, environmentally-friendly, bright surface, maintain an overall beautiful appearance. With this structure, the whole bed maintains more stable and makes patients feel more safe.



Mattress

The bed platform is integrally made of the high-end composite leather and hand-made cotton mattress, of which the curve design is ergonomic, elastic and soft, breathable, environmentally-friendly, easy to be cleaned, anti-bacterial, impactresistant



Pneumatic Pole Support

Two air springs are equipped on the back and legs to provide users with a quiet and safe environment during diagnosis and avoid interference.



Control System

CE certified linear actuator motor, one-buttom free lift, low noise, and long service life. Manual (foot control) electric overall lifting, manual back-rest lifting, leg-rest lifting adjustment, height adjustment.



Hand Controller

The bed is equipped with Hand-held controller, so that the optimal height is easy to be adjusted by pressing the single button gently. The hook on the back is convenient to take down for patients and nurses.



Bed foot equipment

Equipped with 4pcs 3-inch double-sided wheels, 2 fuctions side brake with 4 pedals, which are convenient to move and fix. The design of 360° rotating pulley made of polyurethane PU is strong, durable, nonsip, strong in pressure resistance, and good in stability.



Assorted Pillow

The neoteric design of the pillow is narrow on the top and wide on the bottom. Its well-shaped and elegant design matches with modern aesthetic ideas and can blend into the environment harmoniously. Pillow can be disassembled according to demand.



Round Covered Edge

The bed platform was covered in 360°. The soft-touch of surface would be safer for users.



Design

Bed surface two fold three ergonomic design, adjust the height according to the patient's height, personalized design help diagnosis. Dual use of bed and chair, high bearing lasting stability, no fear of heavy pressure impact, to ensure safe use.

















Design

Research

Manufacturing

Maintenance

Service



USA

Saikang Medical Technology, Inc. 17800 Castleton St Ste 180, City of Industry, 91748, California. Tel.: +1 949648 2776

United Kingdom

UK Healthward International Ltd.Dept. 111, 196 High Road Wood
Green, N22 8HH, London.
Tel.: +44 2032399738

Russia

Saikang Medical Russia LLC Truda 174, 454080 Chelyabinsk. Tel.: +7 (351) 2145566 / 8811 / 1516

East Africa


Saikang Medical Solutions Ltd. Viraj Complex Unit 3, Mombasa Road, P.O. Box 14262-00800, Nairobi. Kenya. Tel.: +254733704690

Middle East

Saikang Medical Supplies LLC X22-S03 England Cluster, International City, Dubai. United Arab Emirates. Tel.: +20 128 8962497







www.saikangmedical.com







Jiangsu Saikang Medical Equipment Co., Ltd. STOCK CODE: 870098

Company video

General catalogue